The Trail Inventory of Leavenworth NFH Levenworth, WA





Prepared By: Federal Highway Administration Central Federal Lands Highway Division January, 2012



TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

Leavenworth NFH

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface Type	Excel	lent	Good	d	Fair	r	Very P	oor	Othe	ers	Total
	Miles	%	Miles	%	Miles	%	Miles	%	Miles	%	Miles
Native	0.07	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.07
Asphalt	0.24	30%	0.04	5%	0.34	43%	0.18	23%	0.00	0%	0.80
Admin Road	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.53	100%	0.53
Total	0.31	22%	0.04	3%	0.34	24%	0.18	13%	0.53	38%	1.40

Trail Miles and Percentages by Trail Classification and Condition

Trail Classification	Excelle	ent	Good	ı	Faiı	r	Very P	oor	Othe	rs	Total
	Miles	%	Miles	%	Miles	%	Miles	%	Miles	%	Miles
тсз	0.07	100%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.07
TC5	0.24	18%	0.04	3%	0.34	26%	0.18	14%	0.53	40%	1.33
Total	0.31	22%	0.04	3%	0.34	24%	0.18	13%	0.53	38%	1.40

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T500	Sign	1	No	0.00	LEAV_C2_001
T500	Sign	1	No	0.00	LEAV_C2_094
T500	Sign	10	Yes	0.00	LEAV_C2_094 4
T500	Trailhead	1	No	0.00	LEAV_C2_001
T500	Sign	2	No	0.00	LEAV_C2_001
T500	Sign	1	No	0.00	LEAV_C2_094
T500	Sign	9	Yes	0.01	LEAV_C2_001
T500	Sign	10	Yes	0.02	LEAV_C2_094
T500	Crib: Rock -cf	160	No	0.03	LEAV_C2_094 8
T500	Sign	17	Yes	0.06	LEAV_C2_094
T500	Begin Section	1	No	0.15	LEAV_C2_002
T500	Sign	1	No	0.18	LEAV_C2_095 2
T500	Sign	11	Yes	0.18	LEAV_C2_001
T500	Begin Section	1	No	0.18	LEAV_C2_001
T500	Begin Section	1	No	0.18	LEAV_C2_001
T500	Sign	3	Yes	0.19	LEAV_C2_095
T500	Sign	3	Yes	0.20	LEAV_C2_001
T500	Bench	1	No	0.21	LEAV_C2_095 5
T500	Bench	5	Yes	0.21	
T500	Lookout/Ob Deck	1	No	0.22	
T500	Begin Section	1	No	0.23	LEAV_C2_001
T500	Bench	2	No	0.24	LEAV_C2_095
T500	Bench	1	No	0.25	LEAV_C2_095 5
T500	Bench	1	No	0.26	LEAV_C2_096 0

T500	Lookout/Ob Deck	1	No	0.26	
T500	Sign	1	No	0.29	LEAV_C2_095 8
T500	Begin Section	1	No	0.32	LEAV_C2_002 0
T500	Begin Section	1	No	0.37	LEAV_C2_002 4
T500	Sign	1	No	0.40	LEAV_C2_002
T500	Begin Section	1	No	0.44	
T500	Begin Section	1	No	0.50	LEAV_C2_002 2
T500	Begin Section	1	No	0.66	LEAV_C2_002 5
T500	Sign	3	No	0.97	LEAV_C2_094 5
T501	Trailhead	1	No	0.00	LEAV_C2_096 4
T501	Sign	1	No	0.00	LEAV_C2_096
T501	Lookout/Ob Deck	1	No	0.04	LEAV_C2_096 2
T501	Step: Log -each	20	No	0.04	LEAV_C2_096

sf - square feet

If - linear feet

cf - cubic feet

Leavenworth NFH Trail Location Map



Trails ID

Station Name: Leavenworth NFH Org Code: 13225

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T500	Icicle Creek Nature Trail	Admin Road	10048256	0.53	From spillway bridge to end of loop
T500	Icicle Creek Nature Trail	Asphalt	10048256	0.76	From spillway bridge to end of loop
T500	Icicle Creek Nature Trail	Native	10048256	0.07	From spillway bridge to end of loop
T501	Accessible Fishing Platform Trail	Asphalt	10049747	0.04	From Leavenworth Parking Lot to End of Boardwalk

TRAIL CONDITION



Trail Name:Icicle Creek Nature TrailRefuge Name:Leavenworth NFHTrail Number:T500Region: 1Total Length:1.36 Miles

Section Number	001	002	003	004	005
Section Length (miles)	0.18	0.04	0.14	0.03	0.24
SAMMS Number	10048256	10048256	10048256	10048256	10048256
Rating Date	07/11/2007	07/11/2007	07/11/2007	07/11/2007	07/11/2007
Trail Section Information					
Trail Class	TC5	TC3	TC5	TC3	TC5
Surface Type	Asphalt	Native	Asphalt	Native	Asphalt
Surface Firmness	Paved	Firm	Paved	Firm	Paved
Width (inches)	48	48	48	48	96
Average Grade (%)	3.0	3.0	3.0	3.0	3.0
Average X-slope (%)	3.00	3.00	3.00	3.00	3.00
Trail Condition Information					
Deferred Maintenance	\$3,228		\$5,543		
CRV	\$28,225	\$4,484	\$21,952	\$3,364	\$75,260
FCI	0.08	0.00	0.25	0.00	0.00
Condition	Fair	Excellent	Very Poor	Excellent	Excellent

TRAIL CONDITION



Max. Grade

Min. Width

Intersection

Bridge

Bench Other

Station Boundary

Total Length: 1.36 Miles

×

Trail Name: Icicle Creek Nature Trail Refuge Name: Leavenworth NFH **Trail Number:** T500 Region: 1

ద

Retaining Wall

Water Bar

Raised Trail Structure

Trailhead

Trail Sign

Drainage Structure

Section Number 006 007 800 009 010 Section Length (miles) 0.16 0.02 0.02 0.22 0.31 10048256 10048256 10048256 10048256 10048256 SAMMS Number 07/11/2007 07/11/2007 07/11/2007 07/11/2007 07/11/2007 Rating Date Trail Section Information TC5 TC5 TC5 TC5 TC5 Trail Class Asphalt Asphalt Asphalt Admin Road Admin Road Surface Type Surface Firmness Paved Paved Paved Firm Paved Width (inches) 48 48 48 96 96 Average Grade (%) 3.0 3.0 3.0 3.0 3.0 Average X-slope (%) 3.00 3.00 3.00 3.00 3.00 **Trail Condition Information** \$2,223 \$124 \$91 **Deferred Maintenance** \$3,133 \$3,133 **CRV** \$25,084 0.09 0.04 0.03 FCI Fair Good Good Condition

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$11,209	\$164,635	0.06	Fair

TRAIL CONDITION



	0.01	0	0.01	0.02	0.03					
			_		Mi	les				
	Excellent	Go	od	Fair		Poor		Very Poo	or 💮	Admin Road
A	Begin Section		Check	. Dam		Step Fe	ature	\boxtimes	Gate	A N
	Trailhead		Retain	ning Wall		Max. Gı	rade	\succ	Bridge	W DE
Ŕτ	Trail Sign	1	Raised	d Trail Structure	₩	Min. Wi	dth	7\	Bench	S
	Drainage Structure		Water	Bar	+	Intersec	ction	×	Other	Station Boundary

Trail Name: Accessible Fishing Platform Trail Refuge Name: Leavenworth NFH

Trail Number: T501 Region: 1 Total Length: **0.04 Miles**

Section Number	001
Section Length (miles)	0.04
SAMMS Number	10049747
Rating Date	08/04/2011
Trail Section Information	
Trail Class	TC5
Surface Type	Asphalt
Surface Firmness	Firm
Width (inches)	48
Average Grade (%)	6.0
Average X-slope (%)	2.40
Trail Condition Information	
Deferred Maintenance	\$2,281
CRV	\$6,273
FCI	0.26
Condition	Very Poor


Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$2,281	\$6,273	0.26	Very Poor



Trail Name:Icicle Creek Nature TrailRefuge Name:Leavenworth NFHTrail Number:T500Region: 1Total Length:1.36 Miles


Mile Post	0.02	0.10	0.14	0.17
Section Number	001	001	001	001
Photo Number	LEAV_C2_0947	LEAV_C2_0949	LEAV_C2_0950	LEAV_C2_0951
Deficiency	Trail Structure	Trail Structure	Trail Structure	Trail Structure
Action	Repair	Repair	Repair	Repair
Item	Tread -sf	Tread -sf	Tread -sf	Tread -sf
Quantity	52	160	100	500
Deferred Maintenance	\$247	\$647	\$425	\$1,910



Trail Name: Icicle Creek Nature Trail Refuge Name: Leavenworth NFH

Trail Number: T500 Region: 1 Total Length: 1.36 Miles

Mile Post	0.15	0.19	0.24	0.30
Section Number	006	003	003	003
Photo Number	LEAV_C2_0960	LEAV_C2_0954	LEAV_C2_0956	LEAV_C2_0957
Deficiency	Trail Structure	Trail Structure	Trail Structure	Trail Structure
Action	Repair	Repair	Repair	Repair
Item	Tread -sf	Tread -sf	Tread -sf	Tread -sf
Quantity	400	250	400	800
Deferred Maintenance	\$1,538	\$982	\$1,538	\$3,023



Tread -sf

10

\$91

Tread -sf

19

\$124

Deferred Maintenance

Item Quantity Tread -sf

170

\$685



Trail Name: Accessible Fishing Platform Trail Refuge Name: Leavenworth NFH **Trail Number:** T501 Region: 1

Mile Post	0.00	
Section Number	001	
Photo Number	LEAV_C2_0965	
Deficiency	Trail Structure	
Action	Repair	
Item	Tread -sf	
Quantity	600	
Deferred Maintenance	\$2,281	

Total Length: 0.04 Miles

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0942 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0943 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0944 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0010 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0012 - MP 0.00 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0013 - MP 0.00 - Trailhead

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0014 - MP 0.01 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0946 - MP 0.02 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0948 - MP 0.03 - Crib: Rock -cf

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0942 - MP 0.06 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0945 - MP 0.97 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0952 - MP 0.18 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0017 - MP 0.18 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0952 - MP 0.19 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0016 - MP 0.20 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0015 - MP 0.18 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0018 - MP 0.18 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0955 - MP 0.21 - Bench

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0955 - MP 0.25 - Bench

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0019 - MP 0.23 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0020 - MP 0.32 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0021 - MP 0.15 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0959 - MP 0.24 - Bench

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0960 - MP 0.26 - Bench

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0958 - MP 0.29 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0023 - MP 0.40 - Sign

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0022 - MP 0.50 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH



Photo # LEAV_C2_0024 - MP 0.37 - Begin Section

TRAIL NUMBER: T500 STATION: Leavenworth NFH

DATE: 07/11/2007



Photo # LEAV_C2_0025 - MP 0.66 - Begin Section

TRAIL NUMBER: T501 STATION: Leavenworth NFH



Photo # LEAV_C2_0963 - MP 0.00 - Sign

TRAIL NUMBER: T501 STATION: Leavenworth NFH

DATE: 08/04/2011



Photo # LEAV_C2_0964 - MP 0.00 - Trailhead

TRAIL NUMBER: T501 STATION: Leavenworth NFH



Photo # LEAV_C2_0961 - MP 0.04 - Step: Log -each

TRAIL NUMBER: T501 STATION: Leavenworth NFH



Photo # LEAV_C2_0962 - MP 0.04 - Lookout/Ob Deck

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.